

板厚 サイズ		SUS-304					SUS-430				
		No.1	2B	BA	#400	HL	2B	BA	#400	HL	No.4
0.3	x1000x2000	-									
0.4	x1000x2000	-									
0.5	x1000x2000	-									
0.5	x1219x2438	-									
0.6	x1000x2000	-									
0.6	x1219x2438	-									
0.7	x1000x2000	-									
0.8	x1000x2000	-									
0.8	x1219x2438	-									
0.9	x1000x2000	-									
1.0	x1000x2000	-									
1.0	x1000x3000	-									
1.0	x1000x4000	-									
1.0	x1219x2438	-									
1.0	x1219x3048	-									
1.0	x1219x4000	-									
1.0	x1524x3048	-					-	-	-	-	-
1.2	x1000x2000	-									
1.2	x1000x3000	-									
1.2	x1000x4000	-									
1.2	x1219x2438	-									
1.2	x1219x3048	-									
1.2	x1219x4000	-									
1.2	x1524x3048	-					-	-	-	-	-
1.5	x1000x2000	-									
1.5	x1000x3000	-									
1.5	x1000x4000	-									
1.5	x1219x2438	-									
1.5	x1219x3048	-									
1.5	x1219x4000	-									
1.5	x1524x3048	-					-	-	-	-	-
1.5	x1524x4000	-					-	-	-	-	-
1.5	x1524x6096	-					-	-	-	-	-
2.0	x1000x2000	-									
2.0	x1000x3000	-									
2.0	x1000x4000	-									
2.0	x1219x2438	-									
2.0	x1219x3048	-									
2.0	x1219x4000	-									
2.0	x1524x3048	-					-	-	-	-	-
2.0	x1524x4000	-					-	-	-	-	-
2.0	x1524x6096	-					-	-	-	-	-

		SUS-304					SUS-430				
板厚	サイズ	No.1	2B	BA	#400	HL	2B	BA	#400	HL	No.4
2.5	x1000x2000	-		-				-			
2.5	x1000x3000	-		-				-			
2.5	x1000x4000	-		-				-			
2.5	x1219x2438	-		-				-			
2.5	x1219x3048	-		-				-			
2.5	x1219x4000	-		-				-			
2.5	x1524x3048	-		-			-	-	-	-	-
2.5	x1524x4000	-		-			-	-	-	-	-
2.5	x1524x6096	-		-			-	-	-	-	-
3.0	x1000x2000			-				-			
3.0	x1000x3000			-				-			
3.0	x1000x4000			-				-			
3.0	x1219x2438			-				-			
3.0	x1219x3048			-				-			
3.0	x1219x4000			-				-			
3.0	x1524x3048			-							
3.0	x1524x4000			-							
3.0	x1524x6096			-							
4.0	x1000x2000			-							
4.0	x1219x2438			-							
4.0	x1524x3048			-							
4.0	x1524x4000			-							
4.0	x1524x6096			-							
5.0	x1000x2000			-							
5.0	x1219x2438			-							
5.0	x1524x3048			-							
5.0	x1524x4000			-							
5.0	x1524x6096			-							
6.0	x1000x2000			-							
6.0	x1219x2438			-							
6.0	x1524x3048			-							
6.0	x1524x4000			-							
6.0	x1524x6096			-							
8.0	x1000x2000		-	-	-	-					
8.0	x1219x2438		-	-	-	-					
8.0	x1524x3048		-	-	-	-					
8.0	x1524x4000		-	-	-	-					
8.0	x1524x6096		-	-	-	-					
9.0	x1000x2000		-	-	-	-					
9.0	x1219x2438		-	-	-	-					
9.0	x1524x3048		-	-	-	-					
9.0	x1524x4000		-	-	-	-					
9.0	x1524x6096		-	-	-	-					

丸棒

径	SUS-304	SUS-316	径	SUS-304	SUS-316
16			110		
18			120		
19			130		
20			140		
22			150		
24			160		
25			170		
26			180		
28			190		
30			200		
32			210		
34			220		
35			230		
36			240		
38			250		
40					
42					
45					
46					
48					
50					
55					
60					
65					
70					
75					
80					
85					
90					
95					
100					

形鋼

品名	サイズ		SUS-304	
熱酸アングル	L3x25x4000			
〃	L3x30x4000			
〃	L3x30x6000			
〃	L3x40x4000			
〃	L3x40x6000			
〃	L4x50x4000			
〃	L4x50x6000			
〃	L5x40x4000			
〃	L5x40x6000			
〃	L5x50x4000			
〃	L5x50x6000			
〃	L6x50x4000			
〃	L6x50x6000			
〃	L6x65x4000			
〃	L6x65x6000			
〃	L6x75x6000			
〃	L9x75x6000			

形鋼

品名	サイズ		SUS-304	
熱酸チャンネル	C5x100x50x6000			
〃	C6x100x50x6000			

NASチェッカープレート

SUS-304					
サイズ 板厚	1020x2100	1020x4100	1240x2500	1240x4100	1540x4100
2.5			-	-	-
3.0					-
3.5					
4.0					
4.5					
5.0					
6.0					

材 質	仕 様	サ イ ズ			
NAR DP - 3 (SUS-329J ₄ L)	No. 1	9X1524X4930			
		14X1524X4000			
		16X1524X4000			
		18X1524X4000			
		18X2000X4000			
		18X2000X4020			
		20X1524X4000			
		20X2000X4000			
		25X1524X4000			
		30X1524X4000			
		50X1524X2500			
		50X1524X2750			
		60X1524X2000			